


TORO-IRRIGATION DIVISION 5825 JASMINE STREET RIVERSIDE, CA 92504 TOLL FREE: 1-877-345-8676 FAX: (951) 359-1870

crc@toro.com www.toro.com



LEGEND:

- 1) PVC LATERAL LINE FROM DRIP ZONE KIT.
- (2) TORO AIR/VACUUM **RELIEF VALVE** (T-YD-500-34) PLUMBED TO SUPPLY MANIFOLD AT HIGH POINT.
- (3) PVC SUPPLY MANIFOLD.
- (4) PVC TEE (SxSxS).
- (5) PVC ELL (SxS).
- (6) TORO TRI-LOC ELBOW (TL-E).
- (7) TORO TRI-LOC TEE (TL-T).
- (8) TORO BLUE STRIPE POLY TUBING (T-EHD1645-XXX) AT SUPPLY AND FLUSH END OF EACH ISLAND.
- (9) TORO TRI-LOC TEE X 1/2" SLIP ADAPTER (TL-T-S50).
- (10) PVC LATERAL LINE FROM DRIP ZONE KIT.

- (11) TORO AIR/VACUUM **RELIEF VALVE** (T-YD-500-34) PLUMBED TO SUPPLY MANIFOLD AT HIGH POINT.
- (12) PVC SUPPLY MANIFOLD.
- (13) PVC TEE (SxSxS).
- (14) PVC ELBOW (SxS).
- (15) TORO DL2000 OPERATION INDICATOR (T-DL-MPT) OPTIONAL.
- (16) ISLAND PERIMETER.
- (17) TORO BLUE STRIPE **POLY TUBING** (T-EHD1645-XXX) AT SUPPLY AND FLUSH END OF EACH ISLAND.
- (18) INLINE SPRING CHECK VALVE.

- 1. THE TOTAL LENGTH OF ALL INTERCONNECTED DRIP LINE SHALL NOT EXCEED THE MAXIMUM RUN LENGTH. SEE TORO SUBSURFACE IRRIGATION DESIGN GUIDE (FORM #ALT111).
- 2. INSTALLATION TO BE COMPLETED IN ACCORDANCE WITH MANUFACTURER'S SPECIFICATIONS.
- 3. DO NOT SCALE DRAWING.
- THIS DRAWING IS INTENDED FOR USE BY ARCHITECTS, ENGINEERS, CONTRACTORS, CONSULTANTS AND DESIGN PROFESSIONALS FOR PLANNING PURPOSES ONLY. THIS DRAWING MAY NOT BE USED FOR CONSTRUCTION.
- 5. ALL INFORMATION CONTAINED HEREIN WAS CURRENT AT THE TIME OF DEVELOPMENT BUT MUST BE REVIEWED AND APPROVED BY THE PRODUCT MANUFACTURER TO BE CONSIDERED ACCURATE.
- 6. CONTRACTOR'S NOTE: FOR PRODUCT AND COMPANY INFORMATION VISIT www.CADdetails.com/info AND ENTER REFERENCE NUMBER 065-188n.

